

Litteratur inkontinens barn 2014

Generelt / reviews

The Standardization of Terminology of Lower Urinary Tract Function in Children and Adolescents: Update Report from the Standardization Committee of the International Children's Continence Society.

Austin PF, Bauer SB, Bower W, Chase J, Franco I, Hoebeke P, Rittig S, Vande Walle J, von Gontard A, Wright A, Yang SS, Nevés T.
J Urol. 2014 Jun; 191(6):1863-5.

The management of childhood urinary incontinence.

Maternik M, Krzeminska K, Zurowska A.
Pediatr Nephrol. 2015 Jan;30(1):41-50. doi: 10.1007/s00467-014-2791-x. Epub 2014 Mar 11

Evaluation and treatment of nonmonosymptomatic enuresis.

Pediatr Rev. 2014 Oct;35(10):430-6; quiz 437-8. doi: 10.1542/pir.35-10-430.
Roth EB¹, Austin PF¹.

Nocturnal enuresis: A topic review and institution experience.

Avicenna J Med. 2014 Oct;4(4):77-86. doi: 10.4103/2231-0770.140641.
DiBianco JM¹, Morley C², Al-Omar O²

Epidemiologi

Prevalence of enuresis and urinary symptoms at age 7 years in the 2004 birth cohort from Pelotas, Brazil.

Mota DM, Barros AJ, Matijasevich A, Santos IS.
J Pediatr (Rio J). 2014 Sep 2. pii: S0021-7557(14)00118-1.

Prevalence of daytime urinary incontinence and related risk factors in primary school children in Turkey.

Bolat D, Acar IC, Zumrutbas AE, Eskicorapci S, Sancak EB, Zencir M, Turan T, Sinik Z.
Korean J Urol. 2014 Mar;55(3):213-8.

Generalized joint hypermobility and voiding dysfunction in children: is there any relationship?

Ajbafezadeh AM, Sharifi-Rad L, Seyedian SS, Mozafarpour S, Paydary K.
Eur J Pediatr. 2014 Feb;173(2):197-201.

Prevalence of incontinence, attention deficit/hyperactivity disorder and oppositional defiant disorder in preschool children.

Niemczyk J, Equit M, Braun-Bither K, Klein AM, von Gontard A.
Eur Child Adolesc Psychiatry. 2014 Oct 21. [Epub ahead of print]

Comorbidity of ADHD and incontinence in children.

Von Gontard A, Equit M.
Eur Child Adolesc Psychiatry. 2014 Jul 1. [Epub ahead of print]

Nattenurese

Infrequent enuresis, the uninvestigated majority comparisons between children with enuresis of varying severity.

Cederblad M, Sarkadi A, Engvall G, Nevés T.

J Pediatr Urol. 2014 Sep 3. pii: S1477-5131(14)00257-5. doi: 10.1016/j.jpurol.2014.06.026. [Epub ahead of print]

Nocturnal enuresis is associated with moderate-to-severe obstructive sleep apnea in children with snoring.

Alexopoulos EI, Malakasioti G, Varlami V, Miligkos M, Gourgoulialis K, Kaditis AG.

Pediatr Res. 2014 Dec;76(6):555-9. doi: 10.1038/pr.2014.137. Epub 2014 Sep 8

Impact of enuresis nocturna on health-related quality of life in children and their mothers.

Kilicoglu AG, Mutlu C, Bahali MK, Adaletli H, Gunes H, Metin Duman H, Toz HI, Uneri OS.

J Pediatr Urol. 2014 Dec;10(6):1261-6. doi: 10.1016/j.jpurol.2014.07.005. Epub 2014 Aug 6

Sleep fragmentation and increased periodic limb movements are more common in children with nocturnal enuresis.

Dhondt K, Baert E, Van Herzeele C, Raes A, Groen LA, Hoebeke P, Vande Walle J.

Acta Paediatr. 2014 Jun;103(6):e268-72. doi: 10.1111/apa.12610. Epub 2014 Mar 17.

Renal bladder ultrasound evaluation in monosymptomatic primary nocturnal enuresis: is it really necessary?

Kovacevic L, Wolfe-Christensen C, Mirkovic J, Yih J, Lakshmanan Y.

Pediatr Nephrol. 2014 Jul;29(7):1189-94. doi: 10.1007/s00467-013-2742-y. Epub 2014 Jan 18

Evaluation of nocturnal bladder capacity and nocturnal urine volume in nocturnal enuresis.

Kim JM, Park JW, Lee CS.

J Pediatr Urol. 2014 Jun;10(3):559-63. doi: 10.1016/j.jpurol.2013.11.020. Epub 2013 Dec 21

Respiration during sleep in children with therapy-resistant enuresis.

Nevés T, Leissner L, Rudblad S, Bazargani F.

Acta Paediatr. 2014 Mar;103(3):300-4. doi: 10.1111/apa.12515. Epub 2013 Dec 19

Nattenurese behandling

Pharmacokinetics of desmopressin administered as tablet and oral lyophilisate formulation in children with monosymptomatic nocturnal enuresis.

De Bruyne P, De Guchtanaere A, Van Herzeele C, Raes A, Dehoorne J, Hoebeke P, Van Laecke E, Vande Walle J.

Eur J Pediatr. 2014 Feb;173(2):223-8. doi: 10.1007/s00431-013-2108-2. Epub 2013 Aug 30

Why does adenotonsillectomy not correct enuresis in all children with sleep disordered breathing?

Kovacevic L, Wolfe-Christensen C, Lu H, Toton M, Mirkovic J, Thottam PJ, Abdulhamid I, Madgy D, Lakshmanan Y.

J Urol. 2014 May;191(5 Suppl):1592-6.

Orthodontic widening of the palate may provide a cure for selected children with therapy-resistant enuresis.

Nevés T, Leissner L, Rudblad S, Bazargani F.

Acta Paediatr. 2014 Jul 15. doi: 10.1111/apa.12749. [Epub ahead of print]

Safety profile of desmopressin tablet for enuresis in a prospective study.

Van Herzeele C, De Bruyne P, Evans J, Eggert P, Lottmann H, Norgaard JP, Vande Walle J.
Adv Ther. 2014 Dec;31(12):1306-16. doi: 10.1007/s12325-014-0173-1. Epub 2014 Dec 12.

Comparison of Long-Term Efficacy of Desmopressin Lyophilisate and Enuretic Alarm for Monosymptomatic Enuresis and Assessment of Predictive Factors for Success: A Randomized Prospective Trial.

Onol FF, Guzel R, Tahra A, Kaya C, Boylu U.
J Urol. 2014 Aug 22. pii: S0022- 5347(14)04264-5

Korean Children's Continence and Enuresis Society. Desmopressin alone versus desmopressin and an anticholinergic in the first-line treatment of primary monosymptomatic nocturnal enuresis: a multicenter study.

Park SJ, Park JM, Pai KS, Ha TS, Lee SD, Baek M;
Pediatr Nephrol. 2014 Jul;29(7):1195- 200.

New device and new concept for treating nocturnal enuresis: Preliminary results of a phase one study.

Barroso U Jr, Lordêlo P, Teles A, Silveira DM, Renson C, Hoebeke P.
J Pediatr Urol. 2014 Dec;10(6):1273-6. doi: 10.1016/j.jpuro.2014.06.023. Epub 2014 Aug 8

Comparison of long-term efficacy of desmopressin lyophilisate and enuretic alarm for monosymptomatic enuresis and assessment of predictive factors for success: a randomized prospective trial.

Önol FF, Guzel R, Tahra A, Kaya C, Boylu U.
J Urol. 2015 Feb;193(2):655-61. doi: 10.1016/j.juro.2014.08.088. Epub 2014 Aug 23

Effectiveness of an alarm intervention with overlearning for primary nocturnal enuresis.

Robertson B, Yap K, Schuster S.
J Pediatr Urol. 2014 Apr;10(2):241-5. doi: 10.1016/j.jpuro.2013.08.008. Epub 2013 Sep 10.

Blæredysfunksjon

Sensory processing differences and urinary incontinence in school-aged children.

Cupelli ET, Escallier L, Galambos N, Xiang S, Franco I.
J Pediatr Urol. 2014 Oct;10(5):880-5. doi: 10.1016/j.jpuro.2014.01.002. Epub 2014 Feb 6.

The bladder of willful infrequent voiders: underactive or underutilized?

Van Batavia JP, Fast AM, Combs AJ, Glassberg KI.
J Pediatr Urol. 2014 Jun;10(3):517-21. doi: 10.1016/j.jpuro.2013.10.027. Epub 2013 Nov 28

The association of age of toilet training and dysfunctional voiding.

Hodges SJ¹, Richards KA¹, Gorbachinsky I¹, Krane LS¹
Res Rep Urol. 2014 Oct 3;6:127-30. doi: 10.2147/RRU.S66839. eCollection 2014.

Evaluation of a new ultrasound measurement tool for the diagnosis of dysfunctional voiding in pediatric population: full/empty bladder wall thickness ratio.

Tangal S, Gökçe Mİ, Özayar A, Gülpınar B, Haliloğlu AH, Burgu B, Özdiler E.
Urology. 2014 Jun;83(6):1369-72. doi: 10.1016/j.urology.2013.12.036. Epub 2014 Mar 15

Analysis of uroflow patterns in children with dysfunctional voiding.

Wenske S, Van Batavia JP, Combs AJ, Glassberg KI.

J Pediatr Urol. 2014 Apr;10(2):250-4. doi: 10.1016/j.jpuro.2013.10.010. Epub 2013 Nov 7.

Utility and cost-effectiveness of uroflowmetry in a busy pediatric urology practice.

Alyami F, Farhat W, Figueroa VH, Romao RL.

Can Urol Assoc J. 2014 Sep;8(9-10):E615-8. doi: 10.5489/cuaj.2190

A 20-year study of persistence of lower urinary tract symptoms and urinary incontinence in young women treated in childhood.

Petrangeli F, Capitanucci ML, Marciano A, Mosiello G, Alvaro R, Zaccara A, Finazzi-Agro E, De Gennaro M.

J Pediatr Urol. 2014 Jun;10(3):441-5. doi: 10.1016/j.jpuro.2014.01.003. Epub 2014 Feb 5

Urinary incontinence in children with special needs.

von Gontard A.

Nat Rev Urol. 2013 Nov;10(11):667-74. doi: 10.1038/nrurol.2013.213. Epub 2013 Oct 1. Review

Blæredysfunksjon behandling

Effects of transcutaneous neuromodulation (TENS) on overactive bladder symptoms in children: A randomized controlled trial.

Sillén U, Arwidsson C, Doroszkiewicz M, Antonsson H, Jansson I, Stålkjint M, Abrahamsson K, Sjöström S.

J Pediatr Urol. 2014 May 9. pii: S1477-5131(14)00137-5.

Use of non-invasive uroflowmetry with simultaneous electromyography to monitor patient response to treatment for lower urinary tract conditions.

Van Batavia JP, Combs AJ, Fast AM, Glassberg KI.

J Pediatr Urol. 2014 Jun;10(3):532-7. doi: 10.1016/j.jpuro.2013.11.015. Epub 2013 Dec 17

Sacral Neuromodulation for the Dysfunctional Elimination Syndrome: A 10-Year Single-center Experience With 105 Consecutive Children.

Dwyer ME, Vandersteen DR, Hollatz P, Reinberg YE.

Urology. 2014 Aug 2. pii: S0090-4295(14)00549-4.

Biofeedback for Non-neuropathic daytime voiding disorders in children: A systematic review and meta-analysis of randomized controlled trials.

Fazeli MS, Lin Y, Nikoo N, Jaggumantri S1, Collet JP, Afshar K.

J Urol. 2014 Jul 26. pii: S0022-5347(14)04048-8. doi: 10.1016/j.juro.2014.07.097. [Epub ahead of print]

Comparison of tolterodine with standard treatment in pediatric patients with non-neurogenicdysfunctional voiding/over active bladder: a systematic review.

Medhi B, Mittal N, Bansal D, Prakash A, Sarangi SC, Nirthi B.

Indian J Physiol Pharmacol. 2013 Oct-Dec;57(4):343-53. Review

The influence of positioning in urination: An electromyographic and uroflowmetric evaluation.

Furtado PS, Lordêlo P, Minas D, Menezes J, Veiga ML, Barroso U Jr.

J Pediatr Urol. 2014 Dec;10(6):1070-5. doi: 10.1016/j.jpuro.2014.03.013. Epub 2014 May 9

Health-related quality of life and treatment effects on children with functional incontinence, and their parents.

Equit M, Hill J, Hübner A, von Gontard A.

J Pediatr Urol. 2014 Mar 26. pii: S1477-5131(14)00092-8.

Long-term efficacy and durability of botulinum-A toxin for refractory dysfunctional voiding in children.

Vricella GJ, Campigotto M, Coplen DE, Traxel EJ, Austin PF.

J Urol. 2014 May;191(5 Suppl):1586-91.

Single center experience with oxybutynin transdermal system (patch) for management of symptoms related to non-neuropathic overactive bladder in children: An attractive, well tolerated alternative form of administration.

Gleason JM, Daniels C, Williams K, Varghese A, Koyle MA, Bägli DJ, Pippi Salle JL, Lorenzo AJ.

J Pediatr Urol. 2014 Jan 17. pii: S1477-5131(14)00020-5.

Psykiatrisk komorbiditet

Specific behavioral comorbidity in a large sample of children with functional incontinence: Report of 1,001 cases.

von Gontard A, Niemczyk J, Weber M, Equit M.

Neurourol Urodyn. 2014 Aug 11. doi: 10.1002/nau.22651. [Epub ahead of print]

Central nervous system processing of emotions in children with nocturnal enuresis and attention-deficit/hyperactivity disorder.

Equit M, Becker A, El Khatib D, Rubly M, Becker N, von Gontard A.

Acta Paediatr. 2014 Aug;103(8):868-78. doi: 10.1111/apa.12676. Epub 2014 May 30

Obstipasjon og blæredysfunksjon

Abnormal voiding parameters in children with severe idiopathic constipation Chung KL, Chao NS, Liu CS, Tang PM, Liu KK, Leung MW.

.

Pediatr Surg Int. 2014 Jul;30(7):747-9.

Scintigraphy evaluation of the types of functional constipation in children with bowel bladder dysfunction.

Zivkovic VD, Lazovic M, Stankovic I, Dimitrijevic L, Kocic M, Vlajkovic M, Stevic M, Slavkovic A, Djordjevic I, Hrkovic M.

J Pediatr Urol. 2014 May 21. pii: S1477-5131(14)00144-2.

Constipation in children with isolated overactive bladders.

Veiga ML, Lordêlo P, Farias T, Barroso C, Bonfim J, Barroso U Jr.

J Pediatr Urol. 2013 Dec;9(6 Pt A):945-9.

Occult constipation: faecal retention as a cause of recurrent abdominal pain in children.

Gijsbers CF, Kneepkens CM, Vergouwe Y, Büller HA.

Eur J Pediatr. 2014 Jun;173(6):781-5.